The content of the	L Number	Hits	Search Text	DB	Time stamp
- 8 5714705.URPN. EBO; JPO; DERWENT; IBM TDB USPAT 2004/12/07 18:30 2004/12/07 18:30 2004/12/07 18:31 2004/12/07 18:31 2004/12/07 18:31 2004/12/07 18:31 2004/12/07 18:31 2004/12/07 18:31 2004/12/07 18:31 2004/12/07 18:31 2004/12/07 18:31 2004/12/07 18:32 2004/12/07 18:32 2004/12/07 18:32 2004/12/07 2004/12/08 2004/	-	14	plural\$4 adj scan adj mode\$2		
- 8 5714705.URPN. DERWENT; IBM TDB USPAT 18:30 2004/12/07 18:30 2004/12/07 18:31 2004/12/07 18:31 2004/12/07 18:31 2004/12/07 18:31 2004/12/07 18:31 2004/12/07 18:31 2004/12/07 18:31 2004/12/07 18:32 2004/12/07 18:32 2004/12/07 18:32 2004/12/07 18:32 2004/12/07 2004/12/08 2004/12/					16:30
S S714705.URPN. USPAT 2004/12/07 18:30 18:31 18:					
- 8 5714705.URPN. USPĀT 2004/12/07 18:30 18:30 18:31 18:31 18:31 18:31 18:31 18:31 18:31 18:31 18:31 18:31 18:31 18:31 18:31 18:32				P .	
- ("6134030").PN.	-	8	5714705.URPN.		2004/12/07
- 0 6134030.URPN. 134030.URPN. 13405047 13405047 13405047 134030.URPN. 13405047 1350745					
- 0 6134030.URPN 13 ("4092668" "4750050" "4949391" USPAT 2004/12/07 18:31 2004/12/07 18:32 2004/12/07 18:32 2004/12/07 2337401" "5237459" "5327258" USPAT 2004/12/07 18:32 2004/12/07 23506840" "5696	-	1	("6134030").PN.	USPAT	
13	_	ا ا	6134030 HDDN	דעם פון	1 1
"527401" "5276459" "5327258" "5455690" "5455690" "5455690" "5455690" "5455690" "5500745" "5508998" "5500745" "5508270" "5644409" "USPAT; USPCPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT; USPCPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT; USPCPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPCPUB; EPO; JPO; DERWENT; USPCPUB; EPO; JPO; DERWENT; USPCP			013 1030. OK. W.		
"54555690" "5457547" "5489998" "5509745" "5528270" "5644409" "5696840").PN. scan adj mode\$2 75 (scan adj mode\$2) and correction adj data - 75 (scan adj mode\$2) and correction adj data - 75 (scan adj mode\$2) and scanning - 5875 scan adj mode\$2 - 5875 scan adj mode\$2 - 3911 (scan adj mode\$2) and scanning - 3911 (scan adj mode\$2) and scanning - 10 ((scan adj mode\$2) and scanning - 11 plurality adj scan adj modes - 12 plurality adj scan adj modes - 13 plurality adj scan adj modes - 14 6421146.URPN 15 64213 operation adj mode - 15 54283 - 350 (operation adj mode) and scanning adj - 54283 - 350 (operation adj mode) and scanning adj - 54283 - 350 (operation adj mode) and scanning adj -	-	13		USPAT	
"550745" "5528270" "5644409" "5696840") PN. scan adj mode\$2					18:32
- "5696840").PN. scan adj mode\$2 - "5696840").PN. scan adj mode\$2 - "55 (scan adj mode\$2) and correction adj data - "55 (scan adj mode\$2) and correction adj data - "5875 scan adj mode\$2 and scanning					1
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO;					
- 75 (scan adj mode\$2) and correction adj data	-	5875	scan adj mode\$2	1	
To				1	16:13
TBM TDB					
S875 Scan adj mode\$2 US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US				1	
S875 scan adj mode\$2 SEPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; US-PGPUB; EFO; JPO; D	-	75	(scan adj mode\$2) and correction adj data	1	
DERWENT; IBM TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM TDB USPAT;]				18:34
S875 scan adj mode\$2 IBM_TDB 2004/12/08 16:55					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT (US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT (USPĀT) USPĀT (USPĀT) USPĀT (USPĀT) USPĀT (USPĀT) USPĀT (USPĀT) USPĀT; USPĀTT; USPĀT; USPĀTT; USPĀTT USP				IBM_TDB	
Solution and prodescript EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US	-	5875	scan adj mode\$2	1	
South Sout				1	16:55
BM_TDB				I .	
10 ((scan adj mode\$2) and scanning adj US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT 2004/12/08 16:32 2004/12/08 16:32 2004/12/08 16:33 EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; USPAT; US-					
- 10 ((scan adj mode\$2) and scanning adj	-	3911	(scan adj mode\$2) and scanning		1 1
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT USPAT USPAT USPAT USPAT; USP				1	16:27
TBM_TDB					,
System and correction adj data US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT;				IBM_TDB	
Top	-	10		1	
- 12 plurality adj scan adj modes			system) and correction adj data	1	16:33
- 12 plurality adj scan adj modes	,				
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT 2004/12/08 16:32 2004/12/08 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; System US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
EPO; JPO; DERWENT; IBM_TDB USPAT 2004/12/08 16:32 2004/12/08 16:32 2004/12/08 16:33 EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	-	12	plurality adj scan adj modes		
DERWENT; IBM_TDB USPAT 2004/12/08 16:32 2004/12/08 16:32 2004/12/08 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB				1	10.30
- 1 6421146.URPN. USPAT 2004/12/08 16:32 - 54283 operation adj mode USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	[DERWENT;	
- 54283 operation adj mode operation adj mode USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 16:32 2004/12/08 16:33		1	6421146 UDDN		2004/12/22
- S4283 operation adj mode USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 16:33	-	1	0421146.UKPN.	USPAT	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB (operation adj mode) and scanning adj USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	[-	54283	operation adj mode	USPAT;	
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 16:33				1	
- 350 (operation adj mode) and scanning adj USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB]			1	
- 350 (operation adj mode) and scanning adj USPĀT; US-PGPUB; 16:33 EPO; JPO; DERWENT; IBM_TDB				1	
EPO; JPO; DERWENT; IBM_TDB	-	350	1 ' 1 ' 2 ' 3 ' 4 ' 4 ' 4 ' 4 ' 4 ' 4 ' 4 ' 4 ' 4	USPAT;	1
DERWENT; IBM_TDB			system		16:33
IBM_TDB					
1 076 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
	-	276	1 1 1	USPAT;	2004/12/08
system) and display US-PGPUB; 16:33 EPO; JPO;			system) and display		16:33
DERWENT;					
IBM_TDB				IBM_TDB	
- 255 ((operation adj mode) and scanning adj USPAT; 2004/12/08]-	255			
system) and display US-PGPUB; 16:34 EPO; JPO;			system) and display		16:34
DERWENT;					
IBM_TDB		L			

-	92	(((operation adj mode) and scanning adj	USPAT;	2004/12/08
		system) and display) and count	US-PGPUB;	16:34
			EPO; JPO;	
			DERWENT; IBM TDB	
_	80	(((scan adj mode\$2) and scanning adj	USPAT;	2004/12/08
		system) and display) and count	US-PGPUB;	16:34
			EPO; JPO;	
			DERWENT; IBM TDB	
-	371	(scan adj mode\$2) and scanning adj	USPAT;	2004/12/08
		system	EPO	16:36
-	460	(scan adj mode\$2) and scanning adj system	USPAT; US-PGPUB;	2004/12/08
		System	EPO; JPO;	10.45
•		·	DERWENT;	
	101005		IBM_TDB	2004/12/00
-	181885	scanner	USPAT; US-PGPUB;	2004/12/08
			EPO; JPO;	
			DERWENT;	
1	1401	agannon and / gara add and again	IBM_TDB	2004/12/00
_	1401	scanner and (scan adj mode\$2)	USPAT; US-PGPUB;	2004/12/08
			EPO; JPO;	
			DERWENT;	
1_	914	 (scanner and (scan adj mode\$2)) and	IBM_TDB USPAT;	2004/12/08
		computer	US-PGPUB;	16:45
			EPO; JPO;	
			DERWENT;	
-	3930	mode adj2 scanning	IBM_TDB USPAT;	2004/12/08
			US-PGPUB;	16:50
			EPO; JPO;	
			DERWENT; IBM TDB	
-	1276	(mode adj2 scanning) and scanner	USPAT;	2004/12/08
			US-PGPUB;	16:46
			EPO; JPO; DERWENT;	
			IBM TDB	
-	752	((mode adj2 scanning) and scanner) and	USPAT;	2004/12/08
		computer	US-PGPUB;	16:46
		·	EPO; JPO; DERWENT;	
		,	IBM_TDB	
-	1627737		USPĀT;	2004/12/08
		computer) adn display	US-PGPUB; EPO; JPO;	16:46
			DERWENT;	
		l ,	IBM_TDB	
-	508	(((mode adj2 scanning) and scanner) and computer) and display	USPAT;	2004/12/08
		compacer, and dishiah	US-PGPUB; EPO; JPO;	10.40
			DERWENT;	
	3	shading add data add file	IBM_TDB	2004/12/00
_	3	shading adj data adj file	USPAT; US-PGPUB;	2004/12/08 16:47
			EPO; JPO;	
			DERWENT;	
_	914	(scanner and (scan adj mode\$2)) and	IBM_TDB USPAT;	2004/12/08
	1	computer	US-PGPUB;	16:47
		_	EPO; JPO;	
			DERWENT;	
_	709	((scanner and (scan adj mode\$2)) and	IBM_TDB USPAT;	2004/12/08
		computer) and display	US-PGPUB;	16:47
			EPO; JPO;	
			DERWENT; IBM TDB	
L	<u> </u>	<u> </u>		L

18					
adj data	-	18	(((scanner and (scan adj mode\$2)) and	USPAT;	2004/12/08
Computer and (scan adj mode\$2) and computer and calibration adj data Computer and calibration adj data Computer Computer and calibration adj data Computer					16:49
- 23			adj data		
-					
Computer) and calibration adj data		22	// /di modo(2)\ and		2004/12/09
Pep, JPp; DERWENT; IBM TDB DERWENT; DERW	-	23		·	1 1
DERWENT; IBM TDB USPAT; 2004/12/08 16:50 16:50			computer; and calibration adjudata		10.49
TBM_TDB					
- 16633 mode near2 scan\$4 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT USPĀGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWEN					
Second S	_	16633	mode near2 scan\$4		2004/12/08
Poc					1
- 691 plurality adj operation adj modes - 49 (plurality adj operation adj modes) and scanner - 49 (plurality adj operation adj modes) and scanner - 11361 scan\$4 adj mode\$2 - 11361 scan\$4 adj mode\$2 - 44 (scan\$4 adj mode\$2) and shading adj data - 45 (scan\$4 adj mode\$2) and shading adj data - 46 6032864 URPN. - 1715 (scan\$4 adj mode\$2) and version - 47 ((scan\$4 adj mode\$2) and version - 5168 scanning adj mode\$2				EPO; JPO;	
- 691 plurality adj operation adj modes			<u>.</u>		
Seans Sean				IBM TDB	
Property	-	691	plurality adj operation adj modes	USPĀT;	2004/12/08
decomposition and product adj modes and scanner DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; US	}			US-PGPUB;	16:51
decomposition and prodestrian and prodestrian and prodestrian and prodestrian and prodestrian and product adj modestrian and pr	İ				
- 49 (plurality adj operation adj modes) and scanner					}
Scanner			l	_	
EPO; JPO; DERWENT; IBM TDB 2004/12/08 16:55 EPO; JPO; DERWENT; IBM TDB 16:55 EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT 2004/12/08 16:59 EPO; JPO; DERWENT; IBM TDB USPAT 2004/12/08 16:59 EPO; JPO; DERWENT; IBM TDB USPAT 2004/12/08 16:59 EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; U	-	49		· ·	
DERWENT; IBM TDB USPAT; 2004/12/08 16:55 - 44 (scan\$4 adj mode\$2) and shading adj data			scanner		16:51
TBM TDB					
- 11361 scan\$4 adj mode\$2				· ·	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT 2004/12/08 16:59	_	11261	scans4 adi modes2		2004/12/08
- 44 (scan\$4 adj mode\$2) and shading adj data - 4 6032864.URPN. - 4 6032864.URPN. - 1715 (scan\$4 adj mode\$2) and version - 44 ((scan\$4 adj mode\$2) and version - 45 (scan\$4 adj mode\$2) and version - 5168 scanning adj mode\$2 - 5168 scanning adj mode\$2 - 5168 can\$4 adj mode\$2 - 5168 can\$4 adj mode\$2 - 5168 canning adj mode\$2	-	11201	Scarry auj moueyz		
- 44 (scan\$4 adj mode\$2) and shading adj data - 4 6032864.URPN. - 1715 (scan\$4 adj mode\$2) and version - 4 ((scan\$4 adj mode\$2) and version - 4 ((scan\$4 adj mode\$2) and version - 5168 scanning adj mode\$2					10.55
- 44 (scan\$4 adj mode\$2) and shading adj data - 4 6032864.URPN. - 1715 (scan\$4 adj mode\$2) and version - 40 ((scan\$4 adj mode\$2) and version - 41 ((scan\$4 adj mode\$2) and version) and product adj name - 5168 scanning adj mode\$2					
- 44 (scan\$4 adj mode\$2) and shading adj data USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT 2004/12/08 16:57 - 1715 (scan\$4 adj mode\$2) and version USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT 2004/12/08 16:57 - 44 ((scan\$4 adj mode\$2) and version) and product adj name USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;			,		i l
- 4 6032864.URPN. USPĀT 2004/12/08 16:57 - 1715 (scan\$4 adj mode\$2) and version USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 16:59 - 44 ((scan\$4 adj mode\$2) and version) and USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;	-	44	(scan\$4 adi mode\$2) and shading adi data		2004/12/08
EPO; JPO; DERWENT; IBM_TDB USPAT 1715 (scan\$4 adj mode\$2) and version ((scan\$4 adj mode\$2) and version) and product adj name ((scan\$4 adj mode\$2) and version) and product adj name ((scan\$4 adj mode\$2) and version) and product adj name 5168 scanning adj mode\$2 Scanning adj mode\$2 EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT;				h e	
- 4 6032864.URPN.					
- 4 6032864.URPN. USPAT 2004/12/08 16:57 - 1715 (scan\$4 adj mode\$2) and version USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 44 ((scan\$4 adj mode\$2) and version) and product adj name USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 5168 scanning adj mode\$2 - 5168 scanning adj mode\$2 - 5168 scanning adj mode\$2				DERWENT;	
- 1715 (scan\$4 adj mode\$2) and version (scan\$4 adj mode\$2) and version (scan\$4 adj mode\$2) and version) and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB (scan\$4 adj mode\$2) and version) and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB (scan\$4 adj mode\$2) and version) and USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 1715 (scan\$4 adj mode\$2) and version USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	4	6032864.URPN.	USPAT	l i
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					1
- 44 ((scan\$4 adj mode\$2) and version) and product adj name - 5168 scanning adj mode\$2	-	1715	(scan\$4 adj mode\$2) and version		1 ' '
- 44 ((scan\$4 adj mode\$2) and version) and product adj name					16:59
- 44 ((scan\$4 adj mode\$2) and version) and product adj name					
- 44 ((scan\$4 adj mode\$2) and version) and product adj name - 5168 scanning adj mode\$2 Scanning adj mode\$2 USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				· ·	
product adj name	_	44	// scans/ add modes(2) and werejon) and		2004/12/09
EPO; JPO; DERWENT; IBM_TDB scanning adj mode\$2 USPAT; 2004/12/10 US-PGPUB; EPO; JPO; DERWENT;		33	' ' ' ' ' ' ' ' ' '		1
DERWENT; IBM_TDB USPAT; 2004/12/10 US-PGPUB; EPO; JPO; DERWENT;			Product day Hame		17.00
- 5168 scanning adj mode\$2 IBM_TDB					
- 5168 scanning adj mode\$2 USPAT; 2004/12/10 US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; 16:13 EPO; JPO; DERWENT;	-	5168	scanning adj mode\$2		2004/12/10
DERWENT;				US-PGPUB;	16:13
			,		
IBM TDB			·		
			, , , , , , , , , , , , , , , , , , , ,		
- 2395 (scanning adj mode\$2) and correct\$5 USPAT; 2004/12/10	-	2395	(scanning adj mode\$2) and correct\$5		
US-PGPUB; 16:14					16:14
EPO; JPO;					
DERWENT;					
- 6 (scanning adj mode\$2) adj correct\$5 USPAT; 2004/12/10	_	6	(scanning add mode\$2) add correct\$5		2004/12/10
US-PGPUB; 16:14			, training and moneys, and correctly		
EPO; JPO;					
DERWENT;					
IBM TDB					
- 33 (scanning adj mode\$2) near3 correct\$5 USPAT; 2004/12/10	-	33	(scanning adj mode\$2) near3 correct\$5	USPAT;	2004/12/10
. US-PGPUB; 16:17				US-PGPUB;	16:17
EPO; JPO;					[
DERWENT;		}			
IBM_TDB	1	1	(#504.400.0# #605.644.5# #505.5**		
- 4 ("5814809" "6256117" "6259540" USPAT 2004/12/10	-	4	, , , , , , , , , , , , , , , , , , , ,	USPAT	
"6445480" "2002/0051240").PN. 16:15	L		["044548U" "2UUZ/UU51Z4U").PN.		16:15

-	106	(scanning adj mode\$2) and correction adj	USPAT;	2004/12/10
		data	US-PGPUB;	16:21
1			EPO; JPO;	
	l		DERWENT;	İ
	Ì		IBM_TDB	1
-	22539	image adj reader	USPAT;	2004/12/10
			US-PGPUB;	16:21
]		EPO; JPO;	
i	İ		DERWENT;	
1			IBM TDB	1
- '	81	(scanning adj mode\$2) and (image adj	USPAT;	2004/12/10
	1	reader)	US-PGPUB;	16:21
	l		EPO; JPO;	İ
1			DERWENT;	1
	1		IBM TDB	
-	4	6032864.URPN.	USPAT	2004/12/10
				16:23

L Number	Hits	Search Text	DB	Time stamp
-	14279	scanning adj speed	USPAT; US-PGPUB;	2004/12/10 13:23
-	5840	(scanning adj speed) and controlling	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/12/10
-	24	(scanning adj speed) adj controlling	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/12/10 13:28
-	3734	(scanning adj speed) and scanner	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/12/10 14:01
-	210	(scanning adj speed) near scanner	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/12/10 13:28
-	111	((scanning adj speed) near scanner) and controlling	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/12/10 13:46
-	104	((scanning adj speed) adj scanner) and controlling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/12/10 13:29
-	0	6515774.URPN.	USPAT	2004/12/10
-	11	("5483359" "5596609" "5731769" "5880687" "5986989" "6000776" "6043905" "6182103" "6268934" "6271940" "6445469").PN.	USPAT	2004/12/10
_	4		USPAT	2004/12/10
-	15	6525843.URPN. ("4876604" "4961185" "4970603"	USPAT USPAT	2004/12/10 13:38 2004/12/10
		"4974097" "5041915" "5146352" "5189525" "5463295" "5477342" "5517324" "5559611" "5943138" "5943139" "6067172" "6141110").PN.	VOLAT	13:38
-	1	"4748514".PN.	USPAT	2004/12/10
-	1295	(scanning adj speed) and comparator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/12/10 13:46
-	797	((scanning adj speed) and comparator) and counter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/12/10 13:47
_	139	(((scanning adj-speed) and comparator) and counter) and decision	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/12/10 13:51

_	22	(scanning adj speed adj control) and comparator	USPAT; US-PGPUB;	2004/12/10 13:53
			EPO; JPO;	
			DERWENT; IBM TDB	
-	146	scanning adj speed adj control	USPAT;	2004/12/10
			US-PGPUB; EPO; JPO;	14:43
			DERWENT;	
_	1820	((scanning adj speed) and controlling)	IBM_TDB USPAT;	2004/12/10
	1020	and scanner	US-PGPUB;	14:02
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	187	(scanning adj speed) adj scanner	USPAT; US-PGPUB;	2004/12/10 14:11
		· •	EPO; JPO;	13.11
			DERWENT; IBM TDB	,
_	4054	((scanning adj speed) and controlling)	USPAT;	2004/12/10
		and data	US-PGPUB;	14:12
			EPO; JPO; DERWENT;	
	58	//ggamaing add gmood) and gamtualling)	IBM_TDB USPAT;	2004/12/10
_	30	((scanning adj speed) and controlling) and (volume adj2 data)	US-PGPUB;	14:27
		-	EPO; JPO;	
			DERWENT; IBM TDB	
-	0	6648226.URPN.	USPĀT	2004/12/10
-	9	("4641357" "4701804" "4761772"	USPAT	2004/12/10
		"5095372" "5306908" "5451764"		14:14
-	8	"5682562" "5957596" "6191871").PN. 5095372.URPN.	USPAT	2004/12/10
_	2492	speed adj2 scanner	USPAT;	14:19 2004/12/10
	2492	speed adjz scanner	US-PGPUB;	14:27
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	3940	speed near3 scanner	USPAT; US-PGPUB;	2004/12/10
			EPO; JPO;	14.20
	<u> </u>		DERWENT; IBM TDB	
-	128	(speed adj2 scanner) and control adj	USPAT;	2004/12/10
		device	US-PGPUB; EPO; JPO;	14:28
			DERWENT;	
_	200	(speed near3 scanner) and control adj	IBM_TDB USPAT;	2004/12/10
	200	device	US-PGPUB;	14:28
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	93	((speed near3 scanner) and control adj device) and counter	USPAT; US-PGPUB;	2004/12/10 14:28
		device, and counter	EPO; JPO;	13.40
			DERWENT; IBM TDB	
_	76	((speed adj2 scanner) and control adj	USPAT;	2004/12/10
		device) and counter	US-PGPUB; EPO; JPO;	14:35
			DERWENT;	
_	76	(((speed near3 scanner) and control adj	IBM_TDB USPAT;	2004/12/10
	/ °	device) and counter) and (((speed adj2	US-PGPUB;	14:36
		scanner) and control adj device) and counter)	EPO; JPO; DERWENT;	
		- Commetty	IBM TDB	

Page 2

-	22	(scanning adj speed adj control) and	USPAT;	2004/12/10
		comparator	US-PGPUB;	13:53
			EPO; JPO;	
			DERWENT; IBM TDB	
_	146	scanning adj speed adj control	USPAT;	2004/12/10
] -	146	scanning adj speed adj control	US-PGPUB;	14:43
			EPO; JPO;	11.15
			DERWENT;	
			IBM TDB	
-	1820	((scanning adj speed) and controlling)	USPĀT;	2004/12/10
		and scanner	US-PGPUB;	14:02
			EPO; JPO;	
ļ			DERWENT;	
			IBM_TDB	0004/10/10
-	187	(scanning adj speed) adj scanner	USPAT;	2004/12/10
1			US-PGPUB; EPO; JPO;	14:11
			DERWENT;	
			IBM TDB	
-	4054	((scanning adj speed) and controlling)	USPAT;	2004/12/10
	''''	and data	US-PGPUB;	14:12
			EPO; JPO;	
1			DERWENT;	
		,	IBM_TDB	
1 -	58	((scanning adj speed) and controlling)	USPAT;	2004/12/10
		and (volume adj2 data)	.US-PGPUB;	14:27
1			EPO; JPO;	
			DERWENT;]
_	_	6649226 HDDN	IBM_TDB	2004/12/10
ļ -	0	6648226.URPN.	USPAT	2004/12/10 14:14
1_	9	("4641357" "4701804" "4761772"	USPAT	2004/12/10
_		("4641337" "4701804" "4761772" "5095372" "5306908" "5451764"	OSEAL	14:14
1 .		3093372 3300908 3431764 "5682562" "5957596" "6191871").PN.		
-	8	5095372.URPN.	USPAT	2004/12/10
	ĺ			14:19
-	2492	speed adj2 scanner	USPAT;	2004/12/10
			US-PGPUB;	14:27
	İ		EPO; JPO;	
			DERWENT;	
1_	3940	speed near3 scanner	IBM_TDB USPAT;	2004/12/10
1 -	3940	speed hears scanner	USPAT; US-PGPUB;	14:28
			EPO; JPO;	17.20
	-		DERWENT;	
			IBM TDB	
-	128	(speed adj2 scanner) and control adj	USPAT;	2004/12/10
		device	US-PGPUB;	14:28
			EPO; JPO;	
	-		DERWENT;	
			IBM_TDB	0004/10/10
] -	200	' -	USPAT;	2004/12/10
		device	US-PGPUB;	14:28
1			EPO; JPO; DERWENT;	
1			IBM TDB	
_	93	((speed near3 scanner) and control adj	USPAT,	2004/12/10
1		device) and counter	US-PGPUB;	14:28
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	76		USPAT;	2004/12/10
		device) and counter	US-PGPUB;	14:35
1			EPO; JPO;	
			DERWENT;	
		///	IBM_TDB	0004/20/20
-	76	' ' ' - F	USPAT;	2004/12/10
		device) and counter) and (((speed adj2	US-PGPUB;	14:36
		scanner) and control adj device) and counter)	EPO; JPO; DERWENT;	
		Counter	IBM TDB	
	<u> </u>	I	1 22:1 200	<u> </u>

-	28	control\$5 adj2 scanning adj speed near3	USPAT;	2004/12/10
		scanner	US-PGPUB;	14:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	28	control\$5 adj2 (scanning adj speed) near3	USPAT;	2004/12/10
		scanner	US-PGPUB;	14:37
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	6661541.URPN.	USPAT	2004/12/10
		,		14:38
_	2	("5278659" "5963343").PN.	USPAT	2004/12/10
		,		14:38
-	1	6147776.URPN.	USPAT	2004/12/10
				14:39
_	7	("4920419" "4947267" "5045763"	USPAT	2004/12/10
		"5198909" "5949923" "5970181"		14:39
1		"6009292").PN.		
_	3	scanning adj speed adj control adj device	USPAT;	2004/12/10
1	_		US-PGPUB;	14:44
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	311	scanning adj speed adj control\$4	USPAT;	2004/12/10
		Journaling day opeca day controlly?	US-PGPUB;	14:44
i			EPO; JPO;	* * * * * *
			DERWENT;	
			IBM TDB	
_	95	(scanning adj speed adj control\$4) and	USPAT;	2004/12/10
		scanner	US-PGPUB;	14:44
		- Dournet	EPO; JPO;	1 73.33
			DERWENT;	
]			IBM TDB	
L	L		TOM_IND	

L Number	Hits	Search Text	DB	Time stamp
-	1	("5041915").PN.	USPAT	2002/10/08
-	21	5041915.URPN.	USPAT	15:13 2002/06/26
-	2	5477342.URPN.	USPAT	15:02 2002/06/26
-	176	(358/412).CCLS.	USPAT	15:06 2002/06/26
-	277	(358/504).CCLS.	USPAT	15:33 2002/06/26 15:38
_	450	(358/406).CCLS.	USPAT	2002/06/26 15:38
-	202	(358/409).CCLS.	USPAT	2002/06/26
-	94	(358/410).CCLS.	USPAT	2002/06/26
-	32	(358/411).CCLS.	USPAT	2002/06/26
-	502	(358/400).CCLS.	USPAT	2002/06/26
-	199	coincid\$5 near2 resolution	USPAT; US-PGPUB;	2002/06/26
			EPO; JPO; DERWENT; IBM TDB	
-	22	(coincid\$5 near2 resolution) and facsimile	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/06/26 16:02
-	3	5463295.URPN.	IBM_TDB USPAT	2002/06/26
-	15	("4463386" "4772955" "4774590" "4796092" "4811109" "4814890" "4814894" "4827349" "4845569" "4876604" "4974097" "4975786" "5075784" "5235432" "5235436").PN.	USPAT	15:51 2002/06/26 15:52
_	230	rotat\$5 adj3 motor adj2 velocity	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/06/26 16:04
-	65	coincid\$5 adj resolution	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/06/26 16:04
_	0	(rotat\$5 adj3 motor adj2 velocity) and (coincid\$5 adj resolution)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/06/26 16:05
- .	5	(rotat\$5 adj3 motor adj2 velocity) and facsimile	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/06/26 16:08
_	13	mesurement near2 system	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/26 16:07
-	·. 68	coincid\$4 adj2 resolution .	USPAT	2002/06/26 16:13
-	11	(coincid\$4 adj2 resolution) and facsimile	USPAT	2002/06/26 16:15
-	6901	system adj2 measurement	USPAT	2002/06/26 16:21
_	0	<pre>(coincid\$4 adj2 resolution) and ((system adj2 measurement) and facsimile)</pre>	USPAT	2002/06/26

Search History 12/10/04 5:00:08 PM Page 1

-	1	("4876604").PN.	USPAT	2002/10/09 16:06
-	19	4876604.URPN.	USPAT	2002/10/09
-	161	(347/261).ccLs.	USPAT	16:06 2002/11/12
_	1	347/262 and unit adj system	USPAT	12:46 2002/11/12 12:47
-	1	347/249 and unit adj system	USPAT	2002/11/12
_	4	347/249 and measurement near2 system	USPAT	12:49 2002/11/12 12:51
-	1	347/262 and measurement near2 system	USPAT	2002/11/12 12:52
-	6	347/261 and measurement near2 system	USPAT	2002/11/12 12:53
_	2	347/264 and measurement near2 system	USPAT	2002/11/12 12:53
-	324	(347/262).CCLS.	USPAT	2002/11/12
_	372	(347/264).CCLS.	USPAT	2002/11/12
-	48	(347/249).CCLS.	USPAT	2002/11/12
-	33	(347/160).CCLS.	USPAT	2002/11/12
-	12	(347/167).CCLS.	USPAT	2002/11/12
_	216	(382/107).CCLS.	USPAT	2002/11/12 12:56
_	4	382/107 and unit adj system	USPAT	2002/11/12 12:57
-	7	382/107 and measurement adj system	USPAT	2002/11/12
-	10	382/107 and measurement adj2 system	USPAT	2002/11/12
-	3	(("5477342") or ("5041915") or ("5146352")).PN.	USPAT	2002/11/12
-	5	5146352.URPN.	USPAT	2002/11/12 12:59
-	3	("4876604" "4970603" "4974097").PN.	USPAT	2002/11/12 13:00
-	19	4970603.URPN.	USPAT	2002/11/12 13:01
_	19	4876604.URPN.	USPAT	2002/11/12
	275	(358/412).CCLS.	USPAT; US-PGPUB;	2002/11/14 17:03
_	0	("coincid\$5 near2 resolution").PN.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/14
-	120	coincid\$5 near2 resolution	IBM_TDB USPAT	2002/11/14
-	О	((358/406).CCLS.) and (coincid\$5 near2 resolution)	USPAT	17:27 2002/11/14 17:05
_	1419	358/406	USPAT	2002/11/14 17:05
-	3	(coincid\$5 near2 resolution) and 358/406	USPAT	2002/11/14 17:07
-	11577	unit adj system	USPAT; US-PGPUB;	2002/11/14 17:08
			EPO; JPO; DERWENT;	
			IBM TDB	